





If your project requires a contemporary look or if you need to recreate period character the solution is AEON

- 70mm, 75mm or 100mm
- A++ energy ratings
- Double or triple glazed
- up to 23 colours*

A RATING FOR ENERGY EFFICIENCY

Choosing Aeon helps your home to become more efficient and save money on your heating bills.

ENHANCED SECURITY

AEON windows are PAS24* security accredited which gives you an added level of security to your home and family.

WEATHER PERFORMANCE

Independently tested AEON RIO windows and doors achieve the highest ratings (PAS 24) for wind, water and air; protecting your home from the elements.


*PAS 24 rated products are available upon specification.

VIRTUALLY MAINTENANCE FREE

Timber windows require annual maintenance to ensure they are kept looking good – AEON flush windows need only a simple wipe so you can spend more time doing what you love.

ACOUSTIC PERFORMANCE

Double glazing is well known for its ability to reduce outdoor noise levels and new windows manufactured from RAYA profile can help bring down the noise levels in your home by as much as half.





REAL TIMBER LOOK

Traditional timber aesthetics in a modern uPVC window



CONTEMPORARY STYLE

Styling and features that are usually only found on aluminium products



EQUAL SIGHTLINES

A flush sash exterior enables all glass sight-lines to be perfectly equal



FEATURES & OPTIONS

Finish a flush project perfectly with a flourish

WHAT IS THE DIFFERENCE BETWEEN THE AEON PRODUCTS?

We all know what a flush window looks like on the outside, but the difference resides on the interior. Typically, it is the frame which dictates each products' unique internal characteristics. Here's a short overview of each one:



R²





AEON R9

Style: Heritage

Frame: R9 Decorative

Size: 100mm

Bead: Decorative or square

AEON R²

Style: Contemporary

Frame: R² Square/stepped

Size: 100mm

Bead: Square

AEON R7

Style: Modern or heritage

Frame: R7 Square

Size: 75mm

Bead: Decorative or square

AEON RIO

Style: Modern or heritage **Frame:** Rehau Total70

sculptured or chamfered

Size: 70mm

Bead: Rehau sculptured or

chamfered

CHOICES, CHOICES...

AVAILABILITY KEY











PREMIUM HARDWARE @ 🗷 💯

Premium hardware to finish the project perfectly comes in 9 colours



COLOUR CHOICE

Up to 13 colours available all with a close RAL code to match other features



DEEP BOTTOM RAIL

For traditional looks, this flush sash has a deeper bottom part of the sash.



THERMAL EFFICIENCY

6, 7, or 9 chambered profiles keeps thermal transference to an absolute minimum.






WEATHER BAR

Replicate a feature of older windows. A raised horizontal moulding to shed dripping water and to increase the strength of the mullion.



BUTT HINGES

Butt Hinges can assist in retaining the original timber window aesthetic or be used to create a brand new look. Choose from working butt hinges or dummy butt hinges.



HANDLES & STAYS

Monkey tail or peardrop handles, available in nine colours, for period replacement



DECORATIVE INSIDE

Externally flush with a decoratively styled internal sash and frame



FLUSH BOTH SIDES

R9 RIO

For an authentic flush look externally & internally



TRIPLE-GLAZING

Specifically designed to accommodate the additional weight of triple glazed units.



MULTIPLE JOINTING CHOICE

For the complete look; butt-welded, mitred or mechanical joint fabrication:



LOCK & HINGE RETENTION

Superior screw retention reinforcements mean locks and hinges are secured firmly.

R9 R2 R7 RIO



R9 HERITAGE FLUSH

100mm period uPVC flush casement

Designed to authentically replicate 19th Century timber designs, featuring an elegant flush exterior and decorative interior.

Ideally suited to replacement of windows and doors in period properties, including those in many conservation areas.

- 100mm frame depth
- 9 thermally-efficient chambers
- Always internally decorative
- 28mm double-glazed and 44mm triple glazing options
- WER A++
- U-Values as low as 0.8W/m2K
- Ultra-thick CEN A wall thickness provides additional screw retention
- PAS24 and Part Q building regulations approved
- Choice of 11 colours
- BS EN 6375 1 weather tested: Exposure Category of 1600;
 Class 3 Air Permeability Rating (600pa); a Class 9A (600pa)
 Water Tightness Rating; Class C4 (1600pa), wind resistance





THE R9 PROFILE

leading-edge technologies and weather sealing

The profile uses a honeycomb of nine energy-efficient chambers within a 100mm deep profile. When installed with energy efficient double- or triple-glazing units, it delivers an industry-leading U-value of $0.8W/m^2K$.



Typical options to achieve authentic period aesthetic.













R9 MULLION/ TRANSOM

FLUSH SASH

SILL: 165MM RADLINGTON

SILL: 55MM RADLINGTON

SILL: 180MM



BEAD: 28MM DECORATIVE



BEAD: 44MM DECORATIVE



BEAD: 28MM STAFF



SILL: 95MM STUB




20MM ADD ON

R9 COLOURS

Find detailed colour options for R9 on page 18-21.

			PAINSWICK			IRISH OAK					NO.10 BLACK
--	--	--	-----------	--	--	-----------	--	--	--	--	----------------



R² SQUARED FLUSH

100mm contemporary uPVC flush casement

Achieve the look of aluminium with contemporary flush uPVC windows and modern hardware.

Equal sight-lines:

R² is built to market leading design standards. Clean lines and advanced functionality.

A unique stepped-square interior gives R² its bold and modern appearance. All glass sight-lines are perfectly equal, complementing the internal stylish square detail.

Lock & hinge retention:

R² has superior screw retention reinforcements, so locks and hinges are secured firmly into position.

Designed to accommodate the additional weight of triple glazed units, allowing heavy duty hinges to fit and operate perfectly.


- 100mm depth Profile
- Contemporary Look
- Internally Glazed
- Dummy sashes to fixed pane
- Choice of 10 standard colours
- Available welded or full mechanical joints (note full mechanical requires all glass to be factory bonded to the frame)
- WER A++
- U-Values as low as 0.8W/m²K
- Ultra-thick CEN A wall thickness provides additional screw retention
- PAS24 and Part Q building regulations approved
- BS EN 6375 1 weather tested: Exposure Category of 1600; Class 3 Air Permeability Rating (600pa); a Class 9A (600pa) Water Tightness Rating; Class C4 (1600pa), wind resistance




THE R² PROFILE

STYLES

R² can be made into many styles, shaped windows, fixed windows, french windows, bay and bow windows, single and french doors.



Typical options to achieve a modern, contemporary aesthetic.



R² COLOURS

Find detailed colour options for R² on page 18-21.

CHALK WHITE	GRAINED WHITE	VINTAGE CREAM	CLOTTED CREAM	PAINSWICK	NO38 GREY	IRISH OAK	ENGLISH OAK	SILVERED OAK	ECLECTIC GREY



R7 IN-AND-OUT FLUSH

75mm contemporary uPVC flush casement

Flush on both exterior and interior gives the AEON R7 its chic modern appearance and versatility to be used for both contemporary new builds and traditional British homes alike. All glass sight-lines are perfectly equal.

Five bead choice

Choose from **five glazing beads** for a fully personalised choice, continue the contemporary appearance with the **square** or a **decorative bead** to soften the aesthetic.

Performance solution

R7 outperforms many other systems with a sophisticated seven-chamber design and intelligent features.

It's the ideal solution for a wide range of properties, from modern new builds to city apartments and country cottages to semi-detached houses, and everything in between, the AEON R7 is intended to be the window of your choice.

- 75mm depth Profile
- 7 thermally-efficient chambers
- Contemporary Look
- Dummy sashes to fixed pane
- Available welded or full mechanical joints
 (Note: full mechanical requires all glass to be factory bonded to the frame)
- 28mm double-glazed and 44mm triple glazing options
- WER A++
- U-Values as low as 0.8W/m2K
- Ultra-thick CEN A wall thickness provides additional screw retention
- PAS24 and Part Q building regulations approved
- Choice of 13 standard colours
- BS EN 6375 1 weather tested: Exposure Category of 1600; Class 3 Air Permeability Rating (600pa); a Class 9A (600pa) Water Tightness Rating; Class C4 (1600pa), wind resistance

THE R7 PROFILE

Typical options for a sleek, modern look.



R7 FRAME







BEAD: 28MM DECORATIVE



BEAD: 44MM SQUARE



SILL: 180MM




SILL: 160MM



SILL: 55MM RADLINGTON



CONTEMPORARY FLUSH MULLION / TRANSOM








R7 COLOURS

Find detailed colour options for R7 on page 18-21.





RIO CLASSIC FLUSH

Rehau Rio 70mm flush uPVC casement

Rio flush fit windows benefit from enhanced noise reduction, energy efficiency and are easy to maintain.

Not only does the Rio flush fit window authentically replicate the features of a traditional timber window, it also compliments modern homes perfectly with clean lines and minimalist appearance.

0

- 70mm depth profile
- Optional deep bottom rail
- Edge outer frame
- Bevel outer frame
- Dummy sashes to fixed pane
- Available welded or full mechanical joints (note full mechanical does not require glass bonding due to the strength of the internal corner blocks)
- Choice of 11 standard colours
- WER A++
- U-Values as low as 0.8W/m2K
- PAS24 and Part Q building regulations approved









THE RIO PROFILE

To accurately recreate authenticity the Rio flush window profile has the option of a deep bottom rail







CHOICE OF WELD

Full mechanical joint





Fully welded joint





RIO COLOURS

Find detailed colour options for Rio flush on page 21.



TECHNICAL AREA:

RIO FLUSH WINDOW


CROSS SECTION & TECHNICAL DRAWING



RAYA VERTICAL SLIDING SASH WINDOW

- 1 Same Eurogroove position as Total70
- 28mm glazing as standard with option for 34mm triple glazing
- Ideal replacement for British timber casement windows due to its 70mm depth
- Two jointing options: Mechanical joint or fully welded
- 5 Exceeds weather performance standards as well as PAS24 accreditation.

SPECIFICATION					
Feature	Specification				
Profile depth	137 mm				
Maximum window size	1200 x 1200mm (top hung)				
	900 x 1300mm (side hung)				
Thermal performance	1.3 W/m2K				
Man and middle	35kg (fully welded)				
Max. sash weight	30kg (Mechanically jointed)				
Glass width	28mm (double glazed)				
	34mm (triple glazed)				
Jointing	Mechanical or fully welded				






RIO FLUSH DOORS

Single and French doors complete 19th century authenticity

The new Rio flush fit French door uses Rehau's Deep Bottom Rail and consequently, no new door sash is required.

- Extension to the existing Rio flush fit range with introduction of the Rio door
- Single open-out residential door complements the established Rio window system
- Option to specify either chamfered or edge outerframes.
- Dedicated butt hinges designed for the flush door system
- Fully welded outward opening door solution completes the Rio range
- Total 70 Profiles used along with Rio Deep Bottom Rail profile
- Dedicated Rio adjustable dynamic door hinge
- Bespoke Rio French Door spacer to achieve a customised finish
- Fully weather-tested and PAS24 security standard approved
- The Rio French door has been certified to the PAS 24 security standard, tested at its maximum size – 1900mm x 2250mm
- Only availble as welded sash.





AEON **TECHNICAL AREA: DRAWINGS** 23.50 23.50 26.50 SASH MULLION **R9 MULLION** R7 + R2 MULLION 75mm 54.20 75.10 100mm 75.4mm **SILLS DOOR SECTION** 10 117 117 95mm SILL 'T' DOOR SASH OPEN-IN 'Z' DOOR SASH 61.5 8 59.5 102 165mm RADLINGTON SILL 73 180mm SILL **←** 2.5 59.5 102 55

T FRAME
DOOR SASH & SQUARE BEAD

55

55mm RADLINGTON SILL

For more detailed Aeon profile charts please visit www.aeon-flushwindows.co.uk/profilecharts



COLOUR



CHALK WHITE RAL 9016

(UNFOILED/MATT FINISH)

- R2 Solid colour only
- Solid colour
 Dual colour:
 (With Chalk White internal)
 Clotted Cream, Cotswold Green,
 Painswick, English Oak, Irish

Oak, Golden Oak, Rosewood, Eclectic Grey, No.10 Black, Corse R9 R² R7

GRAINED WHITE RAL 9003

- Internal & external
 Dual colour:
 All colours available externally to Grained White
- R² Internal & external only
- R7 Internal & external only





Lawn

CLOTTED CREAM RAL 9001

- Political & external

 Dual colour:

 Grained White internal
 - Painswick external with Clotted Cream internal
- R² Internal & external only
- Internal & external

 Dual colour:

 Chalk White internal



- Internal & external Dual colour: Grained White internal
- R² Internal & external only
- Internal & external

 Dual colour: Chalk White internal



- Internal & external

 Dual colour:

 Grained White internal,

 No.10 Black external with

 English Oak internal

 Eclectic Grey external with

 English Oak internal
- R2 Internal & external only
- Internal & external

 Dual colour: Chalk White internal



- Dual colour:
 Grained White internal
 Clotted Cream internal
- R2 Internal & external only
- PT Dual colour:
 Chalk White internal



Internal & external

Dual colour: Grained White internal



Internal & external

Dual colour: Chalk White
internal



- Political & external

 Dual colour:


 Grained White internal
- R2 Internal & external only



- R9 Dual colour only:
 Grained White internal
- Dual colour only:
 Chalk White internal

Please note: RAL reference numbers represent the nearest colours and are not exact matches, you should contact your paint supplier to view accurate colour samples





COLOUR



(UNFOILED/MATT FINISH)

- R7 Internal & external only
 R9 Internal & external only
- NO38 GREY
 RAL 7035

(UNFOILED/MATT FINISH)

- R2 Internal & external only
- Internal & external only



Dual colour:
No.10 Black external with
Cotswold Biscuit internal
Grained White internal



- Page 1 Internal & external Dual colour:
 Grained White internal
- Dual colour only:
 Chalk White internal

RIO COLOURS

The Rio window can have the same internal colour to match, or keep the inside white.

























Please note: Due to variables in the printing process and disparity in screen colour displays, these colours are intended to be used as a guide only.

TECHNICAL AREA:

PREMIUM HARDWARE



AVAILABLE COLOURS Antique Bronze Pewter Black Patina COLOUR: Bronze Red Tint Polished Chrome GRAPHITE Electro Gold Satin Chrome Graphite (below) White (not shown) **MONKEY TAIL** STAY PEAR DROP STAY **MONKEY TAIL HANDLE** PEAR DROP STAY PEGS HANDLE









COLOUR: BLACK



COLOUR:
PEWTER PATINA



COLOUR: BRONZE RED TINT



COLOUR: POLISHED CHROME




COLOUR: ELECTRO GOLD



COLOUR: SATIN CHROME







TECHNICAL AREA:

HARDWARE




COLOUR KEY:









VIEW OUR OTHER PRODUCTS











Scan for all brochures



AEON WINDOWS ARE FABRICATED BY ICENI FROM THE RESIDENCE COLLECTION & REHAU







Scan to check if this brochure is the most recent VERSION: 1.0



MASTER MANUFACTURERS

www.iceniwindows.co.uk